Michigan Prior Authorization Request Form For Prescription Drugs Instructions

Important: Please read all instructions below before completing FIS 2288.

Section 2212c of Public Act 218 of 1956, MCL 500.2212c, requires the use of a standard prior authorization form when a policy, certificate or contract requires prior authorization for prescription drug benefits.

A standard form, FIS 2288, is being made available by the Department of Insurance and Financial Services to simplify exchanges of information between prescribers and health insurers as part of the process of requesting prescription drug prior authorization. This form will be updated periodically and the form number and most recent revision date are displayed in the top left-hand corner.

- > This form is made available for use by prescribers to initiate a prior authorization request with the health insurer.
- ➤ Prior authorization requests are defined as requests for pre-approval from an insurer for specified medications or quantities of medications before they are dispensed.
- ➤ "Prescriber" means the term as defined in section 17708 of the Public Health Code, 1978 PA 368, MCL 333.17708.
- ➤ "Prescription drug" means the term as defined in section 17708 of the Public Health Code, 1978 PA 368, MCL 333.17708.
- ➤ Pursuant to MCL 500.2212c, prescribers and insurers must comply with required timeframes pertaining to the processing of a prior authorization request. Insurers may request additional information or clarification needed to process a prior authorization request.
- ➤ The prior authorization is considered granted if the insurer fails to grant the request, deny the request, or require additional information of the prescriber within 72 hours after the date and time of submission of an expedited prior authorization request or within 15 days after the date and time of submission of a standard prior authorization request. If additional information is requested by an insurer, a prior authorization request is considered to have been granted by the insurer if the insurer fails to grant the request, deny the request, or otherwise respond to the request of the prescriber within 72 hours after the date and time of submission of the additional information for an expedited prior authorization request; or within 15 days after the date and time of submission of the additional information for standard prior authorization request.
- ➤ The prior authorization is considered void if the prescriber fails to submit the additional information within 5 days after the date and time of the original submission of a properly completed expedited prior authorization request or within 21 days after the date and time of the original submission of a properly completed standard prior authorization request.
- In order to designate a prior authorization request for expedited review, a prescriber must certify that applying the 15-day standard review period may seriously jeopardize the life and health of the patient or the patient's ability to regain maximum function.

PRESCRIBERS PLEASE SUBMIT THIS FORM TO THE PATIENT'S HEALTH PLAN ONLY. Please do not send to the department.

Only provide the physician's direct contact number and initials if you are requesting an Expedited Review Request.

Michigan Prior Authorization Request Form for Prescription Drugs

Fax: 858-790-7100

(PRESCRIBERS SUBMIT THIS FORM TO THE PATIENT'S HEALTH PLAN)

☐ Standard Review Request		
☐ Expedited Review Request: I hereby certain jeopardize the life or health of the patient or the Physician's Direct Contact Phone Number (e patient's ability to rega	in maximum function.
A) Reason for Request		
☐ Initial Authorization Request ☐ Ren	newal Request	□ DAW
B) Patient Demographics		
Is patient hospitalized: ☐ Yes ☐ No		
Patient Name:		DOB:
Patient Health Plan ID:		
C) Pharmacy Insurance Plan ☐ Priority ☐ Magellan ☐ Blue Cross Blue ☐ Total Health Care ☐ Blue Care Network	Shield of Michigan ☐☐ ☐ HealthPlus of Michi	University of Michigan HAP Prescription Drug Plan Meridian Health Plan
D) Prescriber Information		
Prescriber Name:	NPI:	Specialty:
DEA (required for controlled substance requests	• •	
Contact Name: Contact Health Plan Provider ID (if accessible):		
E) Pharmacy Information (optional) Pharmacy Name		
F) Requested Prescription Drug Information	1	
Drug Name:		Strength:
Dosing Schedule:		Duration:
Diagnosis (specific) with ICD#:		
Place of infusion / injection (if applicable):		
Facility Provider ID / NPI:		
Has the patient already started the medication?	YesI	No If so, when?

history, cu	rrent medication			ory of present illness, past medical to support your request if you
H) Failed/Co	ntraindicated T	herapies		
Drug Name	Strength	Dosing Schedule	Duration	Adverse Event/Specific Failure
relevant d additional	iagnostic labs, n information that	neasures of response to t may be necessary for	treatment, etc r review. Pleas	er information is necessary such as c.) Please refer to plan's website for se note that sending this form with od or adverse determination.
	erson may be con vided.			rovided is true, complete and fully ve information with the intent to
Physician's Sig				
PA 218 of 1956 as requires prior auth	s amended requires norization for prescrip	otion drug benefits.		prescribers when a patient's health plan
		FOI HEALIII FIA	I OSE OTTIN	
			Denied:	
Approved By:			Denied By:	
Effective Date			Reason for D	Denial:
Additional Con	nments:			



UNIVERSITY OF MICHIGAN – Testosterone Products

Some of the information needed to make a determination for coverage is not specifically requested on the Michigan Prior Authorization Request Form for Prescription Drugs. To avoid delays in reviewing your request, please make sure to include all of the following information.

Note: Coverage of both initial and continuation requests for testosterone products requires submission of testosterone levels taken within 12 months of the request.

For the	e treatment of hypogonadism		
1.	Does your patient have a diagnosis of hypogonadism?	Υ	N
2.	Does your patient have two separate pre-treatment morning sub-normal		
	testosterone levels?		N
	Note: If yes, coverage requires submission of levels with this request.		
3.	Does your patient have two separate pre-treatment morning sub-normal		
	testosterone levels corrected for sex-hormone binding?	Υ	N
	Note : If yes, coverage requires submission of levels with this request.		
4.	If your patient is obese (BMI \geq 30), have they undergone an adequate trial	e trial Y N	
	of lifestyle modification with diet and exercise?	ĭ	IN
5.	Has your patient had prostate cancer or have elevated prostate-specific	Y N	
	antigen (PSA) levels?	Ĭ Ĭ	IN IN
6.	Has your patient had a cardiovascular event (e.g., myocardial infarction,	Υ	N
	TIA, or coronary syndrome) within the previous six months?	Ī	IN
or th	e treatment of gender dysphoria		
1.	Is your patient transitioning from female to male?	Υ	N
or th	e treatment of hypoactive sexual desire disorder (HSDD)		
1.	Is your patient a post-menopausal female?	Υ	N
2.	Has your patient tried and failed counseling, such as couples therapy	Υ	N
	and/or sex therapy?	'	
3.	Is your patient's HSDD attributable to a co-existing medical or psychiatric		
	condition, problems with the relationship, or the effects of a medication or	Υ	N
	drug substance?		
or co	verage of oral testosterone (Jatenzo)		
1.	Does your patient have a diagnosis of primary hypogonadism (congenital		
	or acquired), specific to testicular failure due to:		
	a. Cryptorchidism		
	b. Bilateral torsion		
	c. Orchitis	Υ	N
	d. Vanishing testis syndrome		
	e. Orchiectomy		
	f. Klinefelter syndrome		
	g. Chemotherapy		
	h. Toxic damage from alcohol or heavy metals		
2.	Does your patient have a diagnosis of hypogonadotropic hypogonadism	Υ	N



	(congenital or acquired) specific to:		
	a. Gonadotropin or luteinizing hor	mone-releasing hormone (LHRH)	
	deficiency		
	b. Pituitary-hypothalamic injury fro	om tumors, trauma, or radiation	
3.	Has your patient tried and failed both a to	opical <i>and</i> an injectable	N
	formulation of testosterone replacement		IN
For re	newals (all indications)		
1.	Has your patient's testosterone levels rer	nained within or below the	
	normal limits while on therapy, as define	d by the laboratories' reference Y	N
	values?		
2.	Has your patient's testosterone regimen	been reduced following above-	
	normal levels, and has subsequently remain	ained within or below the Y	N
	laboratories' normal limits?		

February 14, 2020